

# **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

GHS Product Identifier Not applicable.
Chemical Name Not applicable.
Trade name e-Bike Cleaner
CAS No. Mixture
EINECS No. Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Cleaning product

Uses advised against None.

1.3 Details of the supplier of the safety data sheet

Company Identification Finish Line Technologies, Inc.

50 Wireless Blvd. Hauppauge,

NY 11788

Telephone +1 (631) 666-7300 Fax +1 (631) 666-7391

E-mail <u>SDSinfo@finishlineusa.com</u>

UK Distributor Madison Cycles

8 Stanmore Hill

Stanmore, Middlesex, HA7 3BQ

United Kingdom

Telephone +44 870 034 7226

1.4 Emergency telephone number

Emergency Phone No. Medical Emergency: PROSAR 24 hr: 1-800-217-

5157 / 1-651-523-0304

**Transportation Emergency:** CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls

accepted)

#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP). Non-flammable Aerosol

2.2 Label elements

Hazard Symbol None

Signal word(s) WARNING

Hazard statement(s) H229: Pressurised container: May burst if heated

Precautionary statement(s) P210: Keep away from heat/sparks/open flames/hot

surfaces.

P251: Pressurized container: Do not pierce or burn, even

after use.

P410+P412: Protect from sunlight. Do not expose to

temperatures exceeding 50°C/ 122°F.

2.3 Other hazards None

January 17, 2017 Page: 1/6



## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

Regulation (EC) No. 1272/2008 (CLP).

Hazardous ingredient(s)	%W/W	EC No. and CAS#	According to Regulation (EC) No. 1272/2008 (CLP)
Propane	1 - 5	200-827-9 74-98-6	Flam. Gas 1, H220 Press. Gas (*)
Butane	1 - 5	203-448-7 106-97-8	Flam. Gas 1, H220 Press. Gas (*)
2-Butoxyethanol	1 - 5	203-905-0 111-76-2	Acute. Tox. 4; H302, H312, H332 Skin Irrit. 2; H315 Eye Irrit. 2a; H319
Aqua ammonia (30%)	<1	215-647-6 1336-21-6	Skin Corr. 1B; H314 STOT SE 3; H335 Aquatic Acute 1; H400

For full text of H/P phrases see section 16.

#### **SECTION 4: FIRST AID MEASURES**



#### 4.1 Description of first aid measures

Inhalation Move person to fresh air. If breathing is laboured,

administer oxygen. If symptoms develop, obtain medical

attention.

Skin Contact Wash affected skin with soap and water. If symptoms

develop, obtain medical attention.

Eye Contact Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.

Ingestion Immediately call a POISON CENTER or doctor/physician.

Do not give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both

acute and delayed

None anticipated

4.3 Indication of the immediate medical attention

and special treatment needed

None anticipated

#### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 Extinguishing media

-Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or

waterspray.

-Unsuitable Extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or

mixture

Pressurised container: May burst if heated

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions. Keep containers

cool by spraying with water if exposed to fire.

January 17, 2017 Page: 2/6



## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and Av emergency procedures

d Avoid contact with skin and eyes.

6.2 Environmental precautions

Prevent liquid entering sewers, basements and workpits.

6.3 Methods and material for containment and

cleaning up

Cover spills with inert absorbent material. Transfer to a container

for disposal or recovery.

6.4 Reference to other sections

None

### **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Use product in a well-ventilated area only. Avoid contact with

skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

-Storage Temperature Keep in a cool, well ventilated place. Store at temperatures

not exceeding 50°C / 122 °F.

-Incompatible materials This product should be stored away from sources of strong

heat or oxidising chemicals.

7.3 Specific end use(s) Cleaning product

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters

8.1.1 Occupational Exposure Limits

		LTEL (8 hr	LTEL (8 hr	STEL	STEL	
SUBSTANCE.	CAS No.	TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	Note:
Butane	106-97-8	600	1450	750	1810	UK HSE
Propane	74-98-6	Aspyx.#	Aspyx.#	Aspyx.#	Aspyx.#	ACGIH TLV
2-Butoxyethanol	111-76-2	25	123	50	246	UK HSE
Ammonia	7664-41-7	25	18	35	25	UK HSE

LTEL: Long Term Exposure Limit; STEL: Short Term Exposure Limit; #Assure minimum oxygen content of work atmosphere.

Biological limit value				
Limit value type				
(country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
None known	None		None	None

**8.1.2** Recommended monitoring method NIOSH 1500 (hydrocarbons, B.P. 36 - 216 °C); NIOSH 1400

(Alcohols I); NIOSH 1403 (Alcohols IV).

8.2 Exposure controls

**8.2.1 Appropriate engineering controls**Use only with adequate ventilation to keep exposures

(airborne levels of dust, fume, vapour etc) below

recommended exposure limits.

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety

glasses).



January 17, 2017 Page: 3/6



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)



Respiratory protection

In case of insufficient ventilation, wear suitable respiratory



(00)

Thermal hazards Not normally required.

**8.2.3 Environmental Exposure Controls**None assigned.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Appearance Liquid / Liquefied gas

Colour Clear

Odour Not available Odour Threshold (ppm) Not available

pH (Value)

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Not available

Not available

Flash Point (°C) Non-flammable Evaporation rate Not available Flammability (solid, gas) Non-flammable Not applicable Explosive limit ranges Vapour Pressure (Pascal) Not available Vapour Density (Air=1) Not available Density (g/ml) Not available Not available Solubility (Water)

Solubility (Vater)

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt)

Explosive properties

Not available

Not available

Viscosity (cSt)

Vot explosive.

Not explosive.

Not oxidising.

9.2 Other information Not available

#### **SECTION 10: STABILITY AND REACTIVITY**

**10.1** Reactivity Stable under normal conditions.

10.2 Chemical stability Stable.

**10.3 Possibility of hazardous reactions** None anticipated.

**10.4** Conditions to avoid Avoid contact with heat and ignition sources.

10.5 Incompatible materials Strong oxidising agents

10.6 Hazardous Decomposition Product(s) None known

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

11.1.1 Substances

Not applicable

11.1.2 Mixtures - By analogy with similar materials:

Acute toxicity (estimated / calculated) Oral: LD50 >5000 mg/kg-bw (rat)

Dermal: LD50 >5000 mg/kg-bw (rabbit)

Skin corrosion/irritation Not to be expected.

January 17, 2017 Page: 4/6



Serious eye damage/irritation Not to be expected. Respiratory or skin sensitization Not to be expected. Germ cell mutagenicity Not to be expected. Carcinogenicity Not to be expected. Reproductive toxicity Not to be expected. STOT - single exposure Not to be expected. STOT - repeated exposure Not to be expected. Not to be expected. Aspiration hazard

#### 11.1.3 Substances in preparations / mixtures - By analogy with similar materials:

Propane (CAS# 74-98-6):

Acute toxicity Inhalation: LC50 = 1237 mg/L (2-hr, mouse, gas)

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/irritation Causes serious eye irritation.
Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

Not to be expected.

Not to be expected.

Not to be expected.

STOT - repeated exposure Not to be expected. NOAEC: ≥19678 mg/m3 (28-day, rat,

Systemic effects). LOAEC: 21641 mg/m3 (28-day, rat, effects:

Body weight)

Aspiration hazard Not to be expected.

2-Butoxyethanol (CAS No. 111-76-2):

NOTE: Rodents shown to be more suceptible to the effects of hemolysis than are humans and guinea pigs, thus acute

toxicity for guinea pigs considered more relevant for classification:

Acute toxicity Oral: LD50 = 1400 mg/kg (guinea pig)

Inhalation: LC0 (1-hr) > 3.1 mg/l (Vapour, guinea pig)

Dermal: LD50 >2000 mg/kg (guinea pig)

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitization Not to be expected.

Germ cell mutagenicity Not to be expected.

Carcinogenicity NOAEL (Two year cancer study) < 125 ppm - Probably not

carcinogenic to humans.

Reproductive toxicity Not to be expected. NOAEL (parental, F1 and F2 generation) =

720 mg/kg bw/day.

STOT - single exposure Not to be expected.

STOT - repeated exposure Inadequate data available to make full assessment. Rodents

shown to be more suceptible to the effects of hemolysis than are

humans

Aspiration hazard Not to be expected.

**11.2 Other information** None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

Acute (estimated / calculated) LC50 (96 hour): > 100 mg/L (Fish)

EL50 (48 hour): > 100 mg/l (Invertebrates) EC50 (72 hour): > 100 mg/l (Algae)

Chronic Not to be expected.

12.2 Persistence and degradability Readily biodegradable.

12.3 Bioaccumulative potential The product has no potential for bioaccumulation.
 12.4 Mobility in soil The product is predicted to have high mobility in soil.

**12.5** Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

January 17, 2017 Page: 5/6



## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

## **SECTION 14: TRANSPORT INFORMATION**

		Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
14.1	UN number	1950	1950	1950
14.2	Proper Shipping Name	Aerosols, non-flammable	Aerosols, non-flammable	Aerosols, non-flammable
14.3	Transport hazard class(es)	2.2	2.2	2.2
14.4	Packing Group	Not applicable	Not applicable	Not applicable
14.5	Environmental hazards	None assigned	None assigned	None assigned
14.6	Special precautions for user	None assigned	None assigned	None assigned

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

#### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1	EU regulations	Listed
	Regulation (EC) 2037/2000 - Dangerous to the ozone layer.	No.
	Regulation (EC) 850/2004 - Persistent Organic Pollutants	No.
	Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals	No.
	Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use	No.
15.1.2	National regulations	Not established.
	15.2 Chemical Safety Assessment	
	Not applicable	

#### **SECTION 16: OTHER INFORMATION**

Training advice: None.

Additional Information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

January 17, 2017 Page: 6/6