

EcoTech[®] Aerosol

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier 1.1 **GHS** Product Identifier **Chemical Name** Trade name CAS No. EINECS No.

Not applicable. Not applicable. EcoTech® Aerosol

Relevant identified uses of the substance or mixture and uses advised against 1.2 Identified use(s) Degreaser None. Uses advised against

1.3 Details of the supplier of the safety data sheet **Company Identification**

> Telephone Fax E-Mail (competent person)

Distributor

Mixture Mixture

Finish Line Technologies, Inc. 50 Wireless Blvd. Hauppauge, NY 11788 USA +1 (631) 666-7300 +1 (631) 666-7391

SDSinfo@finishlineusa.com

Madison Distribution Centre 5 Roebuck Way Knowlhill Milton Keynes Buckinghamshire MK5 8HL United Kingdom +44 1908 326032

Telephone

Emergency telephone number 1.4

Emergency Phone No.

PROSAR 24 hr: 1-800-217-5157 / 1-651-523-0304 & CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Regulation (EC) No. 1272/2008 (CLP).

2.2 Label elements Hazard Symbol

Signal word(s)

Hazard statement(s)

Flam. Aerosol 1; Asp. Tox. 1; Aquatic Chronic 3



H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated H304: May be fatal if swallowed and enters airways. H412: Harmful to aquatic life with long lasting effects. EUH208: Contains:D-Limonene. May produce an allergic reaction.



P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Pressurized container: Do not pierce or burn, even after use.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331: Do NOT induce vomiting.

P410+P412: Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.

P102: Keep out of reach of children.

2.3 Other hazards

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Regulation (EC) No. 1272/2008 (CLP).

Precautionary statement(s)

Hazardous ingredient(s)	%w/w	EC No. and CAS#	According to Regulation (EC) No. 1272/2008 (CLP)
Distillates (petroleum), hydrotreated light	50-80	265-149-8 64742-47-8	Asp. Tox. 1;H304
D-limonene	<1	227-813-5 5989-27-5	Flam. Liq. 3; H226 Asp. Tox. 1;H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

- Carbon dioxide (CAS No. 124-38-9) > 3%

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.2

4.1 Description of first aid measures

Inhalation	Move person to fresh air. If breathing is laboured, administer oxygen. If symptoms develop, obtain medical attention.
Skin Contact	Wash affected skin with soap and water. If symptoms develop, obtain medical attention.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If symptoms occur obtain medical attention.
Ingestion	Do not give anything by mouth to an unconscious person. Seek medical treatment.
Most important symptoms and effects, both acute and delayed	Aspiration of droplets may cause pulmonary oedema.



4.3 Indication of the immediate medical attention and None special treatment needed

SECT	ION 5: FIRE-FIGHTING MEASURES		
5.1	Extinguishing media		
	-Suitable Extinguishing Media	Extinguish with carbon dioxide, dry chemical, foam or waterspray.	
	-Unsuitable Extinguishing Media	Do not use water jet.	
5.2	Special hazards arising from the substance or mixture	None known	
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.	
SECT	ION 6: ACCIDENTAL RELEASE MEASURE	S	
6.1	Personal precautions, protective equipment and emergency procedures	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only.	
6.2	Environmental precautions	Prevent substance entering sewers.	
6.3	Methods and material for containment and cleaning up	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.	
6.4	Reference to other sections	None	
SECT	ION 7: HANDLING AND STORAGE		
7.1	Precautions for safe handling	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only.	
7.2	Conditions for safe storage, including any incompatibilities		
	-Storage Temperature	Keep container in a well-ventilated place. Store at temperatures not exceeding 38°C/100°F.	
	-Incompatible materials	None	
7.3	Specific end use(s)	Degreaser	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Normal and branched chain alkanes ≥C7	Mixture		1200			UK - EH40
Cycloalkanes ≥C7	Mixture		800			UK - EH40
Carbon dioxide	124-38-9	5000	9000			EU - IOELV

Biological limit value				
Limit value type				
(country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
None known	None		None	None

8.1.2 Recommended monitoring method

NIOSH 1550 (Naphthas)



EcoTech[®] Aerosol

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls

8.2.2 Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Wear protective eyewear (goggles, face shield, or safety

Use only with adequate ventilation to keep exposures

(airborne levels of dust, fume, vapour etc) below



Wear protective gloves.(Nitrile rubber)

recommended exposure limits.

glasses).

Respiratory protection



Thermal hazards

Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment.

Not normally required.

8.2.3 **Environmental Exposure Controls** None assigned.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- Information on basic physical and chemical properties 9.1 Appearance Liauid Colour Colourless Odour Not available Odour Threshold (ppm) Not available Not available pH (Value) Melting Point (°C) / Freezing Point (°C) Not available Boiling point/boiling range (°C): Not available Flash Point (°C) 96 (Distillates (petroleum), hydrotreated light) Evaporation rate Not available Flammability (solid, gas) Not available Explosive limit ranges Not available Vapour Pressure (Pascal) 0.009 (Distillates (petroleum), hydrotreated light) Vapour Density (Air=1) Not available Density (g/ml) ca. 0.8 Solubility (Water) Not available Solubility (Other) Not available Not available Partition Coefficient (n-Octanol/water) Auto Ignition Temperature (°C) Not available Decomposition Temperature (°C) Not available Kinematic Viscosity (cP) Not available Explosive properties Not explosive. Oxidising properties Not oxidising. Not available
- 9.2 Other information

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 **Chemical stability**
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- Hazardous Decomposition Product(s) 10.6

Stable under normal conditions. Stable. None anticipated. Avoid contact with heat and ignition sources. Strong oxidising agents. None known



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Substances

Not applicable

11.1.2 Mixtures - By analogy with similar materials:

Acute toxicity	Not available
Skin corrosion/irritation	Not available
Serious eye damage/irritation	Not available
Respiratory or skin sensitization	Not available
Germ cell mutagenicity	Not available
Carcinogenicity	Not available
Reproductive toxicity	Not available
STOT - single exposure	Not available
STOT - repeated exposure	Not available
Aspiration hazard	Not available

11.1.3 Substances in preparations / mixtures

Distillates (petroleum), hydrotreated light (CAS# 64742-47-8)

Acute toxicity

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard

D-limonene (CAS#5989-27-5): Acute toxicity Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Oral: LD50 >55 g/kg-bw Dermal: LD50 >3 g/kg-bw

Repeated exposure may cause skin dryness or cracking. Not to be expected. Aspiration of droplets may cause pulmonary oedema.

Oral: LD50 >4g/kg-bw Causes skin irritation. May cause eye irritation. May cause sensitization by skin contact. Not to be expected. Not to be expected. Not to be expected. Not to be expected. Aspiration of droplets may cause pulmonary oedema. None known.

11.2 Other information

SECTION 12: ECOLOGICAL INFORMATION

12.1 12.1.1	Toxicity Substances in preparations / mixture	es	
	Distillates (petroleum), hydrotreated light (CAS# 64742-47-8)		
	Short term	Not available	
	Long Term	Not available	
12.2	Persistence and degradability	Not available	
12.3	Bioaccumulative potential	The product has low potential for bioacc	
	-	· · ·	

- 12.4 Mobility in soil
- 12.5 Results of PBT and vPvB assessment
- 12.6 Other adverse effects

The product has low potential for bioaccumulation. The product is predicted to have high mobility in soil. Not classified as PBT or vPvB. None known.



promelas))

Not available

Not available

Not available

Not available

None known.

Readily biodegradable.

D-limonene (CAS#5989-27-5): Short term

Long Term

- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and vPvB assessment
- 12.6 Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal should be in accordance with local, state or national legislation.Consult an accredited waste disposal contractor or the local authority for advice.

LC50 (96 hour) 720µg/l (Fathead minnow (Pimephales

SECTION 14: TRANSPORT INFORMATION

		Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
14.1	UN number	1950	1950	1950
14.2	Proper Shipping Name	Aerosols	Aerosols	Aerosols
14.3	Transport hazard class(es)	2.1	2.1	2.1
14.4	Packing Group	Not applicable	Not applicable	Not applicable
14.5	Environmental hazards	None assigned	None assigned	None assigned
14.6	Special precautions for user	None assigned	None assigned	None assigned

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1	EU regulations	Listed
	Regulation (EC) 2037/2000 - Dangerous to the ozone layer.	No.
	Regulation (EC) 850/2004 - Persistent Organic Pollutants	No.
	Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals	No.
	Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use	No.
15.1.2	National regulations	Not established.
15.2	Chemical Safety Assessment	Not applicable

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Hazard statement(s) and Precautionary statement(s):

- H226: Flammable liquid and vapour.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H410: Very toxic to aquatic life with long lasting effects.
- **GHS Classification**
- Flam. Aerosol 1; Extremely flammable aerosol. Category 1
- Asp. Tox. 1; Aspiration hazard Category 1
- Aquatic Chronic 3; Chronic aquatic toxicity, Category 3

Training advice: None.

Additional Information: None.



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.